



OPERATING AND SERVICE MANUAL

H/P Part No. 00202-90206

All Serial Numbers

MODEL 202J

TELEMETERING
SIGNAL GENERATOR

SERIALS PREFIXED: 604 -

This manual applies directly to -hp- Model 202J Telemetering Signal Generators having serial number prefix 604-. This manual with changes provided in the Appendix also applies to models having serial numbers 6847 and below.

Reproduced With Permission Courtesy Agilent Technologies, Inc.

Copyright HEWLETT-PACKARD COMPANY 1966
GREEN POND ROAD, ROCKAWAY, NEW JERSEY, U.S.A.

TABLE OF CONTENTS

Section	Page	Section	Page
I DESCRIPTION		VI MAINTENANCE	
General	7	Introduction	21
Operating Controls and Layout	7	Preventative Maintenance	21
II SPECIFICATIONS	9	Performance Check	21
III OPERATING INSTRUCTIONS		Trouble Shooting and Repair	24
Installation	11	Adjustment and Calibration	24
Preliminary Instructions	11	B+ Supply	24
Using the Signal Generator	12	DC Filament Supply Check	24
Output Connections	12	Modulation Oscillator	27
IV THEORY OF OPERATION		Modulation Meter Circuitry	27
General	13	Modulation Circuits	29
RF Unit	13	RF Alignment	30
Modulation Circuits	15	Piston Attenuator Calibration & AGC Adjustment	32
Output Monitor System	16	ΔF Circuitry	33
Modulating Oscillator	16	Generator FM Linearity	33
DC FM Input	16	Measuring Frequency Deviation and Fidelity	36
Power Supply	16	Mechanical Disassembly Procedures	39
V OPERATIONAL GUIDE		Semiconductor Information	42
Introduction	18	VII REPLACEABLE PARTS	
Piston Attenuator	18	Introduction	47
Frequency Drift Data	18	Ordering Information	47
FM Operation	18	List of Manufacturers	47
FM Linearity	19	Reference Designation Index	48
Amplitude Modulation	19	Table of Replaceable Parts	55
		APPENDIX - MANUAL CHANGES	69

LIST OF ILLUSTRATIONS

Number	Title	Page	Number	Title	Page
1.	Operating Controls and Layout.	6	42.	Setup for FM Linearity Measurement	34
2.	Logging Curve	7	43.	Scope Presentations-FM Linearity Measurement	35
3.	202J Dimensions	10	44.	Bessel Functions of the First Kind	36
4.	Rack Mounting Instruction	11	45.	Bessel Functions and Frequency Spectrum for $f_m = 4$ kc and $\Delta f_c = 100$ kc	36
5.	This Figure No. not used		46.	Amplitude Ratio - m vs. E_1/E_c	37
6.	202J Pulse Modulation Characteristics	12	47.	Residual AM	37
7.	Signal Source Representation	12	48.	Fidelity Measurement-Step Attenuator Method	38
8.	Output Circuit of 202J with 501B Output Cable Attached	13	49.	Fidelity Measurement-Reference Generator Method	38
9.	Equivalent Output Circuit of 202J with 501B Output Cable Attached.	13	50.	RF Unit Cover - Sizing Jig	40
10.	505B T-Pad (Attenuator) Circuit.	13	51.	202J Side View-Front Panel Removal	40
11.	505B T-Pad (Attenuator) Equivalent Circuit	13	52.	RF Unit Frequency Control Shaft	41
12.	202J Block Diagram	14	53.	Schematic - 202J Main Chassis	43
13.	Bridged-Tee Phase Shift Network.	14	54.	Schematic - 202J RF Unit	45
14.	Piston Attenuator Circuit	14	55.	202J - Top View	63
15A.	Modulation and Metering-Internal- FM	15	56.	202J - Bottom View	64
15B.	Modulation and Metering-External- FM	15	57.	RF Unit - Top View	64
16.	Modulation and Metering- AM	16	58.	RF Unit - Bottom View	65
17.	Modulation- Pulse.	16	59.	RF Unit - Side View	66
18.	Output Monitor System.	16	60.	Piston Attenuator	66
19.	DC FM System	17	61.	202J Front Panel Mechanical Parts	67
20.	Power Supply B+ Regulation Circuit.	17	62.	202J Cabinet Parts	67
21.	Long-Term Frequency Drift Characteristic Curve	18	63.	Gear Box Assembly	68
22.	FM Channel Fidelity Characteristic Curve	18	64.	Schematic - 202J Main Chassis (Early Instruments)	73
23.	Typical Fidelity Correction Curve	19	65.	Schematic - 202J RF Unit (Early Instruments)	75
24.	FM Channel Square Wave Response.	19			
25.	DC FM Input Characteristic Curve	19			
26.	RF Range Accuracy and Stability Check	21			
27.	RF Output Check	22			
28.	AM Range Check	23			
29.	AM Accuracy	23			
30.	Trapezoidal Scope Presentations - AM	23			
31.	Modulating Oscillator Check	24			
32.	Voltage and Resistance Chart--Transistors	25			
33.	Voltage and Resistance Chart--Tubes	25			
34.	Basic Circuit 202J Power Distribution System	27			
35.	Setup for Modulation Meter Check--AM	29			
36.	Percent Modulation Curve--AM	29			
37.	Setup for AM Distortion Check	30			
38.	Doubler Tracking-Doubler Resonance Centered on Oscillator Frequency	31			
39.	Doubler Tracking-Doubler Resonance Within Limits of Center of Oscillator Frequency	31			
40.	Doubler Tracking-Doubler Resonance Out of Limits of Center of Oscillator Frequency	32			
41.	Output Coil Physical Location	32			

LIST OF TABLES

Number	Title	Page
1.	Recommended Test Equipment.	20
2.	RF Accuracy Test	22
3.	Tube and Transistor Replacement Guide	25
4.	Trouble Shooting Chart.	26
5.	Parts Required for FM Linearity Test Setup	34
6.	Modulation Indices	37
7.	Manual Change - Instrument Serial Numbers	69
8.	Instrument Modifications.	69
9.	Reference Designation Index (Appendix)	71
10.	Replaceable Parts (Appendix)	71