

Tektronix, Inc.
P.O. Box 500
Beaverton, Oregon 97077

070-2163-00

TEKTRONIX®

**475A
OSCILLOSCOPE AND
DM44
DIGITAL MULTIMETER
OPERATORS**

INSTRUCTION MANUAL

Serial Number _____ First Printing AUG. 1976

TABLE OF CONTENTS

LIST OF ILLUSTRATIONS	iv		
LIST OF TABLES	v		
BEFORE OPERATING	1	BASIC OSCILLOSCOPE DISPLAYS	16
INTRODUCTION	1	NORMAL SWEEP DISPLAY	16
SAFETY INFORMATION	1	MAGNIFIED SWEEP DISPLAY	17
OPERATING VOLTAGE	1	DELAYED SWEEP DISPLAY	17
Line Voltage Selection	2	MIXED SWEEP DISPLAY	18
Regulating Range Selection	2	X-Y DISPLAY	18
OPTIONS	3	SINGLE SWEEP DISPLAY	19
CONTROLS, CONNECTORS, AND INDICATORS	4	DM44 DISPLAYS AND MEASUREMENTS	20
VERTICAL DISPLAY	4	RESISTANCE	20
DM44	7	VOLTS	22
TRIGGER	8	TEMPERATURE	24
HORIZONTAL, CALIBRATOR, AND POWER	12	Accuracy Check	24
REAR PANEL	14	TIME AND 1/TIME	27
LEFT SIDE PANEL	14	APPLICATIONS AND MEASUREMENTS	28
RIGHT SIDE PANEL	14	PRELIMINARY	28
		Signal Ground	28
		Input Coupling Capacitor Precharging	28

TABLE OF CONTENTS (cont)

APPLICATIONS AND MEASUREMENTS (cont)	Page	APPLICATIONS AND MEASUREMENTS (cont)	Page
OPERATOR'S ADJUSTMENTS AND CHECKS	29	PHASE DIFFERENCE MEASUREMENTS	42
Trace Rotation	29	HIGH RESOLUTION PHASE DIFFERENCE	
Probe Compensation	29	MEASUREMENTS	43
Vertical Gain Check	30	PULSE JITTER MEASUREMENTS	44
Basic 475A Timing Check	30	DELAYED OR MIXED SWEEP	
DM44 Timing Check	30	MAGNIFICATION	45
External Horizontal Gain Check	31	Magnified Sweep Starts After Delay	45
PEAK-TO-PEAK VOLTAGE		Triggered Delay Sweep Magnification	46
MEASUREMENTS—AC	31		
INSTANTANEOUS VOLTAGE			
MEASUREMENTS—DC	32	BASIC 475A DELAYED OR MIXED SWEEP TIME	
ALGEBRAIC ADDITION	34	MEASUREMENTS	48
COMMON MODE REJECTION	35	TIME DIFFERENCE BETWEEN REPETITIVE	
AMPLITUDE COMPARISON		PULSES (BASIC 475A)	48
MEASUREMENTS	36	TIME DURATION MEASUREMENTS	
TIME-DURATION MEASUREMENTS	37	(BASIC 475A)	49
FREQUENCY MEASUREMENTS	38	FREQUENCY MEASUREMENTS (BASIC 475A)	50
RISETIME MEASUREMENTS	39	TIME DIFFERENCE BETWEEN TWO PULSES	
TIME DIFFERENCE BETWEEN TWO		FROM DIFFERENT SOURCES (BASIC 475A)	51
PULSES FROM DIFFERENT SOURCES	40	RISETIME (BASIC 475A)	52
TIME COMPARISON MEASUREMENTS	41	MIX (BASIC 475A)	53

TABLE OF CONTENTS (cont)

DM44 DELAYED OR MIXED SWEEP TIME MEASUREMENTS	Page 54	OPERATOR'S SPECIFICATIONS (cont)	Page
TIME DIFFERENCE BETWEEN REPETITIVE PULSES (DM44)	56	Z AXIS INPUT	65
TIME DURATION MEASUREMENTS (DM44)	57	OUTPUTS	65
FREQUENCY MEASUREMENTS (DM44)	58	AC POWER SOURCE	65
TIME DIFFERENCE BETWEEN TWO PULSES FROM DIFFERENT SOURCES (DM44)	58	ENVIRONMENTAL	65
RISETIME (DM44)	60	DM44 DIGITAL MULTIMETER	66
MIX (DM44)	61	RESISTANCE	66
		TIME	66
		1/TIME	66
		TEMPERATURE	66
		DC VOLTAGE	66
OPERATOR'S SPECIFICATIONS	62		
475A OSCILLOSCOPE	62		
VERTICAL	62		
TRIGGERING	63	ACCESSORIES	68
DIFFERENTIAL TIME MEASUREMENT (BASIC 475A)	63	STANDARD ACCESSORIES	68
DIFFERENTIAL TIME MEASUREMENT (DM44)	64	OPTIONAL ACCESSORIES	68
HORIZONTAL	64		
X-Y	64	OPTIONS	69
CALIBRATOR	64	OPTION 4	69
		OPTION 7	69

LIST OF ILLUSTRATIONS

	Page		Page		
Fig. 1.	Regulating range selector and line fuse.	3	Fig. 17.	Common-mode rejection.	36
Fig. 2.	Vertical controls, connectors, and indicators.	4	Fig. 18.	Time duration.	38
Fig. 3.	Display and DM44 controls, connectors, and indicators.	6	Fig. 19.	Risetime.	39
Fig. 4.	Trigger controls, connectors, and indicators.	8	Fig. 20.	Time difference between two pulses from different sources.	40
Fig. 5.	Trigger controls, connectors, and indicators.	10	Fig. 21.	Phase difference.	43
Fig. 6.	Horizontal, calibrator, and power controls, connectors, and indicators.	12	Fig. 22.	High-resolution phase difference.	43
Fig. 7.	Rear panel and left side panel controls, connectors, and indicators.	15	Fig. 23.	Pulse jitter.	44
Fig. 8.	Resistance.	21	Fig. 24.	Delayed sweep magnification.	46
Fig. 9.	Volts.	23	Fig. 25.	Time difference between repetitive pulses.	49
Fig. 10.	Temperature.	25	Fig. 26.	Time duration.	50
Fig. 11.	Probe compensation.	29	Fig. 27.	Time difference between two pulses from different sources.	51
Fig. 12.	Basic 475A timing check.	30	Fig. 28.	Risetime.	53
Fig. 13.	DM44 timing check.	31	Fig. 29.	Time difference between repetitive pulses.	56
Fig. 14.	Peak-to-peak voltage of a waveform.	32	Fig. 30.	Time duration and frequency measurements.	57
Fig. 15.	Instantaneous voltage measurements.	33	Fig. 31.	Time difference between two pulses from different sources.	59
Fig. 16.	Algebraic addition.	35	Fig. 32.	Risetime.	60

LIST OF TABLES

	Page		Page
TABLE 1 Regulating Ranges	2	TABLE 4 Centigrade to Fahrenheit Conversion	26
TABLE 2 Resistance Ranges	20	TABLE 5 DM44 Delayed Sweep Displays	54
TABLE 3 Volts Ranges	22		