

TEKTRONIX®

475
OSCILLOSCOPE
AND
DM43/DM40
DIGITAL MULTIMETERS
OPERATORS

Tektronix, Inc.
P.O. Box 500
Beaverton, Oregon 97077

070-1729-01

INSTRUCTION MANUAL

Serial Number _____ First Printing OCT 1974

WARRANTY

All TEKTRONIX instruments are warranted against defective materials and workmanship for one year. Any questions with respect to the warranty should be taken up with your TEKTRONIX Field Engineer or representative.

All requests for repairs and replacement parts should be directed to the TEKTRONIX Field Office or representative in your area. This will assure you the fastest possible service. Please include the instrument Type Number or Part Number and Serial Number with all requests for parts or service.

Specifications and price change privileges reserved.

Copyright © 1974 by Tektronix, Inc., Beaverton, Oregon. Printed in the United States of America. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Tektronix, Inc.

U.S.A. and foreign TEKTRONIX products covered by U.S. and foreign patents and/or patents pending.

TEKTRONIX is a registered trademark of Tektronix, Inc.

TABLE OF CONTENTS

	Page	BASIC OSCILLOSCOPE DISPLAYS (cont)	Page
BEFORE OPERATING			
INTRODUCTION	1	DELAYED SWEEP DISPLAY	17
SAFETY INFORMATION	1	MIXED SWEEP DISPLAY	18
OPERATING VOLTAGE	2	X-Y DISPLAY	18
OPTIONS	3	SINGLE SWEEP DISPLAY	19
CONTROLS, CONNECTORS AND INDICATORS		DM43/DM40 DISPLAYS AND MEASUREMENTS	
VERTICAL	4	RESISTANCE	20
DISPLAY	6	VOLTS	22
DM43/DM40	6	TEMPERATURE (DM43 ONLY)	24
TRIGGER	8	APPLICATIONS AND MEASUREMENTS	
HORIZONTAL, CALIBRATOR, AND POWER	12	PRELIMINARY	28
REAR PANEL	14	OPERATOR'S ADJUSTMENTS AND CHECKS	29
SIDE PANEL	15	PEAK-TO-PEAK VOLTAGE	
BASIC OSCILLOSCOPE DISPLAYS		MEASUREMENTS —AC	31
NORMAL SWEEP DISPLAY	16	INSTANTANEOUS VOLTAGE	
MAGNIFIED SWEEP DISPLAY	17	MEASUREMENTS —DC	32
		ALGEBRAIC ADDITION	34

TABLE OF CONTENTS (cont)

APPLICATIONS AND MEASUREMENTS (cont)	Page	APPLICATIONS AND MEASUREMENTS (cont)	Page
COMMON-MODE REJECTION	35	DM43/DM40 DELAYED OR MIXED SWEEP TIME MEASUREMENTS	48
AMPLITUDE COMPARISON MEASUREMENTS	36	Time Difference Between Repetitive Pulses (DM43/DM40)	48
TIME DURATION MEASUREMENTS	37	Time Duration (DM43/DM40)	49
FREQUENCY MEASUREMENTS	38	Frequency (DM43/DM40)	50
RISETIME MEASUREMENTS	39	Time Difference Between Two Pulses From Different Sources (DM43/DM40)	51
TIME-DIFFERENCE BETWEEN TWO PULSES FROM DIFFERENT SOURCES	40	Risetime (DM43/DM40)	52
TIME COMPARISON MEASUREMENTS	41	Mix (DM43/DM40)	53
BASIC 475 DELAYED OR MIXED SWEEP TIME MEASUREMENTS	42	DELAYED OR MIXED SWEEP MAGNIFICATION	53
Time Difference Between Repetitive Pulses (Basic 475)	42	Magnified Sweep Starts After Delay	53
Time Duration Measurements (Basic 475)	43	Triggered Delayed Sweep Magnification	55
Frequency (Basic 475)	44	PHASE DIFFERENCE MEASUREMENTS	56
Time Difference Between Two Pulses From Different Sources (Basic 475)	45	HIGH RESOLUTION PHASE DIFFERENCE MEASUREMENTS	57
Risetime (Basic 475)	47	PULSE JITTER MEASUREMENTS	58
Mix (Basic 475)	48		

TABLE OF CONTENTS (cont)

OPERATOR'S SPECIFICATIONS	Page	OPERATOR'S SPECIFICATIONS (cont)	Page
VERTICAL	59	TEMPERATURE—DM43 ONLY, WITH PROBE	63
TRIGGERING	60	DC VOLTAGE DM43/DM40	63
DIFFERENTIAL TIME MEASUREMENT (BASIC 475)	60	AC POWER SOURCE	64
DIFFERENTIAL TIME MEASUREMENT (DM43/DM40)	61	ENVIRONMENTAL	64
HORIZONTAL	61	ACCESSORIES	
CALIBRATOR	61	STANDARD ACCESSORIES INCLUDED	65
Z-AXIS INPUT	62	OPTIONAL ACCESSORIES	65
OUTPUTS	62	OPTIONS	
RESISTANCE DM43/DM40	62	OPTION 4	66
TIME DM43/DM40	62	OPTION 7	66