



TEKTRONIX®

465
OSCILLOSCOPE
AND
DM43/DM40
DIGITAL MULTIMETERS
OPERATORS

INSTRUCTION MANUAL

Serial Number _____ First Printing OCT 1974

tektronix, Inc.
P. O. Box 500
Beaverton, Oregon 97077

070-1738-01

TABLE OF CONTENTS

BEFORE OPERATING	Page	BASIC OSCILLOSCOPE DISPLAYS (cont)	Page
INTRODUCTION	1	DELAYED SWEEP DISPLAY	17
SAFETY INFORMATION	1	MIXED SWEEP DISPLAY	18
OPERATING VOLTAGE	2	X-Y DISPLAY	18
OPTIONS	3	SINGLE SWEEP DISPLAY	19
CONTROLS, CONNECTORS AND INDICATORS		DM43/DM40 DISPLAYS AND MEASUREMENTS	
VERTICAL	4	RESISTANCE	20
DISPLAY	6	VOLTS	22
DM43/DM40	6	TEMPERATURE (DM43 ONLY)	24
TRIGGER	8	APPLICATIONS AND MEASUREMENTS	
HORIZONTAL, CALIBRATOR, AND POWER	12	PRELIMINARY	28
REAR PANEL	14	OPERATOR'S ADJUSTMENTS AND CHECKS	29
SIDE PANEL	15	PEAK-TO-PEAK VOLTAGE MEASUREMENTS —AC	31
BASIC OSCILLOSCOPE DISPLAYS		INSTANTANEOUS VOLTAGE MEASUREMENTS —DC	32
NORMAL SWEEP DISPLAY	16	ALGEBRAIC ADDITION	34
MAGNIFIED SWEEP DISPLAY	17		

TABLE OF CONTENTS (cont)

APPLICATIONS AND MEASUREMENTS (cont)	Page	APPLICATIONS AND MEASUREMENTS (cont)	Page
COMMON-MODE REJECTION	35	DM43/DM40 DELAYED OR MIXED SWEEP TIME MEASUREMENTS	48
AMPLITUDE COMPARISON MEASUREMENTS	36	Time Difference Between Repetitive Pulses (DM43/DM40)	48
TIME DURATION MEASUREMENTS	37	Time Duration (DM43/DM40)	49
FREQUENCY MEASUREMENTS	38	Frequency (DM43/DM40)	50
RISETIME MEASUREMENTS	39	Time Difference Between Two Pulses From Different Sources (DM43/DM40)	51
TIME-DIFFERENCE BETWEEN TWO PULSES FROM DIFFERENT SOURCES	40	Risetime (DM43/DM40)	52
TIME COMPARISON MEASUREMENTS	41	Mix (DM43/DM40)	53
BASIC 465 DELAYED OR MIXED SWEEP TIME MEASUREMENTS	42	DELAYED OR MIXED SWEEP MAGNIFICATION	53
Time Difference Between Repetitive Pulses (Basic 465)	42	Magnified Sweep Starts After Delay	53
Time Duration Measurements (Basic 465)	43	Triggered Delayed Sweep Magnification	55
Frequency (Basic 465)	44	PHASE DIFFERENCE MEASUREMENTS	56
Time Difference Between Two Pulses From Different Sources (Basic 465)	45	HIGH RESOLUTION PHASE DIFFERENCE MEASUREMENTS	57
Risetime (Basic 465)	47	PULSE JITTER MEASUREMENTS	58
Mix (Basic 465)	48		

TABLE OF CONTENTS (cont)

OPERATOR'S SPECIFICATIONS	Page	OPERATOR'S SPECIFICATIONS (cont)	Page
VERTICAL	59	TEMPERATURE—DM43 ONLY, WITH PROBE	63
TRIGGERING	60	DC VOLTAGE DM43/DM40	63
DIFFERENTIAL TIME MEASUREMENT (BASIC 465)	60	AC POWER SOURCE	64
DIFFERENTIAL TIME MEASUREMENT (DM43/DM40)	61	ENVIRONMENTAL	64
HORIZONTAL	61	ACCESSORIES	
CALIBRATOR	61	STANDARD ACCESSORIES INCLUDED	65
Z-AXIS INPUT	62	OPTIONAL ACCESSORIES	65
OUTPUTS	62	OPTIONS	
RESISTANCE DM43/DM40	62	OPTION 4	66
TIME DM43/DM40	62	OPTION 7	66